CLINICA CHIMICA ACTA
Vol. 39 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 39 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editors:
S. C. Frazer, Aberdeen

for the Americas - M. Rubin, Washington, D.C.
for the British Commonwealth - R. Gaddie, Birmingham
for all other territories, including Europe - E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1972 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 39 (1972)

AUTHOR INDEX

ALINK, H. R. M.
(A simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in pregnancy urine) 449
ANDERSON, J. see FARID, N. R. 263
APPEL, M. see CLAUVEL DE MENDONCA, M. 149
APPLEGARTH, D. A., BOZOIAN, G.
(Mucopolysaccharide storage in organs of a patient with Sandhoff's disease) 269
APPLEGARTH, D. A., BOZOIAN, G., STURROCK, S., TISCHLER, B.
(Urinary amino acid output in children with Hurler's syndrome) 258
BAIN, A. D. see BUTTERWORTH, J. . . . 275
BALLINGER, W. F. see MARGRAF, H. W. . 247
BARTHOLOMEW, R. J. see HINTERBERGER, H. 395
BERG, G. see GRABNER, W. 59
BERGNER, D. see GRABNER, W. 59
BHATNAGAR, R. see SUNDARAM, G. S. . . 115
BOLD, A. W. see HERZBURG, L. 229
BOZOIAN, G. see APPLEGARTH, D. A. . . . 258
BOZOIAN, G. see APPLEGARTH, D. A. . . . 269
BRACKERTZ, D. see KUEPPERS, F. 131
DE BREE, P. K. see van der HEIDEN, C. . . 201
BROSTROM, H. see GULLBERG, R. 475
BUIST, N. R. M. see FELLMAN, J. H. . . . 242
BURLINA, A., MICONI, G., GALPIGNA, L.
(A new and simple procedure for serum arylesterase) 255
BURT, D. see EMERY, A. E. H. 361
BÜTLER, R. see SCHERZ, R. 109
BUTTERWORTH, J., SUTHERLAND, GRANT R., BAIN, A. D., MCCRAE, W. M.
(Lysosomal enzymes in amniotic fluid) 275
CAIN, M. D., COGHLAN, J. P., CATT, K. J.
(Measurement of angiotensin II in blood by radioimmunoassay) 24
CARTER, P.
(Submicrogram serum copper quantification of spectophotometry with bis-(1-piperidylthiocarbonyl) disulfide) . . 497
CATT, K. J. see CAIN, M. D. 24
CHAMBERLAIN, J. see ROGERS, M. 439
CHARTRAND, L. see WEBER, A. M. 524
CHIN, A. E. see SHEID, B. 477
COLMAN, R. W., MITCHELL, B.
(Specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes) 5
CLAUVEL DE MENDONCA, M., APPEL, M., PERNOLLET, J. C., SCHWARTZ, K.
(A sensitive method for automated estimation of plasma haemoglobin levels) 149
COGHLAN, J. P. see CAIN, M. D. 24
CZYGAN, P. J. see KUEPPERS, F. 131
DAHLIG, E. see RADOM, S. 277
DEFTOS, L. J. see HABENER, J. F. 407
DELASNERIE, N. see SCHULLER, E. 233
DESJARDINS, L. see KELLY, S. 469
DILLER, E. see PAK, C. Y. C. 511
DOYON, G. see WEBER, A. M. 524
DREWES, P. A.
(Direct colorimetric determination of phosphorus in serum and urine 81
ELLIS, G., GOLDBERG, D. M.
(Activity and stability of glutamate dehydrogenase in various buffer systems) 472
EMERY, A. E. H., BURT, D.
(Amino acid, creatine and creatinine studies in myotonic dystrophy) 361
FARID, N. R., ANDERSON, J.
(A low pressure system for membrane filtration for use in micronephelometry) 263
FELGENHAUER, K.
(Immunoglobulins in disc electrophoresis) 177
FELLMAN, J. H., BUIST, N. R. M., KENNAWAY, N. G., SWANSON, R. E.
(The source of aromatic ketoacids in tyrosinaemia and phenylketonuria) . . 242
FENTON, J. see WALD, N. J. 266
FLECK, A. see MORRISON, B. 301
FREEDMAN, A. see HINTERBERGER, H. . . 395
GALPIGNA, L. see BURLINA, A. 255
GANGULY, P.
(A low molecular weight antiplasmin of human blood platelets) 466
GASPARI, R. see PINELLI, A. 135
GOLDBERG, D. M. see ELLIS, G. 472
GORDON, S. see WEBER, A. M. 524
GRABNER, W., BERGNER, D., SAILER, D., BERG, G.
(Untersuchungen zur Zuverlässigkeit

quantitativer Immunoglobulinbestimmungen (IgG, IgA, IgM) durch einfache radiale Immundiffusion) 59
GREGORY, D. M. see MATUSIK, J. E. . . . 15
GRIFFITHS, J., LINKLATER, H.
(A radioisotope method for catechol-*O*-methyl transferase in blood) 383
GRIPOIS, D. see PARVEZ, H. 253
GROSSER, V., see PETERS, W.-H. . . . 273
GUIDOLLET, J. see OZIOL, S. 143
GULLBERG, R., BROSTRÖM, H.
(Equipment for parallel gel filtration experiments in small columns) 475
GUNASEKERA, S. W., KING, L. J., LAVENDER, P. J.
(The behaviour of tracer gallium-67 towards serum proteins) 401
HABENER, J. F., DEFTOS, L. J., POTTS, J. T.
(Improved radioimmunoassay for calcitonin using ^{125}-I labelled calcitonin purified by gel filtration) 407
HANDZEL, Z. T. see MYEROWITZ, R. L. . . 307
HANSEN, S., PERRY, T. L., LESK, D.
(Urinary bacteria: potential source of some organic acidurias) 71
HEERSPINK, W., OP DE WEEGH, G. J.
(The use of the ceric arsenious acid reaction for the determination of small amounts of iodine or iodine compounds) 327
VAN DER HEIDEN, C., WADMAN, S. K., DE BREE, P. K., WAUTERS, E. A. K.
(Increased urinary imidazole propionic acid *N*-acetylhistamine and other imidazole compounds in patients with intestinal disorders) 201
HEINTGES, M. G. see OVERFIELD, C. V. . . 35
HERZBURG, L., BOLD, A. W.
(A sex difference in mean serum magnesium levels in depression) 229
HINTERBERGER, H., FREEDMAN, A., BARTHOLOMEW, R. J.
(Precursors of melanin in the blood and urine in malignant melanoma) 395
HORN, D. B. see STEIN, S. M. 293
HULTBERG, B., ÖCKERMAN, P. A.
(Artificial substrates in the assay of acid glycosidases) 49
ITO, T., NIWA, T., MATSUI, E., OHISHI, N., YAGI, K.
(Plasma flavin levels of patients receiving longterm hemodialysis) 125
JACKSON, L. J., RITTENBERG, M. B., SEAMAN, C. V. F.
(On the isolation of materials with Rh antiqenic properties from the human erythrocyte membrane) 463
KELLY, S., LEIKHIM, E., DESJARDINS, L.
(A qualitative spot test for cystinuria) . 469
KENNAWAY, N. G. see FELLMAN, J. H. . . 242
KING, L. J. see GUNASEKERA, S. W. . . . 401
DE KLOEP, K. see VOORHORST, C. D. . . . 391
KŁYSZEJKO-STEFANOWICZ, L. see LUTZ, W. 319
KŁYSZEJKO-STEFANOWICZ, L. see LUTZ, W. 425
KNAPP, A. see MACHILL, G. 171
KNAPP, A. see PETERS, W.-H. 273
KOOREVAAR, G. see VAN STEKELENBURG, G. J. 191
KUEPPERS, F., BRACKERTZ, D., CZYGAN, P. J.
(Serum α_1-antitrypsin levels during the ovarian cycle) 131
LACKO, A. G., RUTENBERG, H. L., SOLOFF, L. A.
(Recovery of labeled cholesterol and cholesterol esters from thin layer chromatograms) 506
LATNER, A. L. see MCKEE, R. W. 221
LAVENDER, P. J. see GUNASEKERA, S. W. . 401
LEIKHIM, E. see KELLY, S. 469
LESK, D. see HANSEN, S. 71
LINKLATER, H. see GRIFFITHS, J. 383
LISSITZKY, S. see ROLLAND, M. 95
LONGSTAFF, E. see MCKEE, R. W. 221
LOUISOT, P. see OZIOL, S. 143
LUST, G., PRONSKY, W.
(Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs) 281
LUTZ, W., MARKIEWICZ, K., KŁYSZEJKO-STEFANOWICZ, L.
(Oligopeptides in blood plasma of healthy humans and of patients with nephrotic syndrome) 319
LUTZ, W., MARKIEWICZ, K., KŁYSZEJKO-STEFANOWICZ, L.
(Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome) 425
MACHILL, G., KNAPP, A., TEICHMANN, W.
(Eine Mikrolitermethode zur Bestimmung der Kynureninaseaktivität in menschlicher Leber) 171
MARGRAF, H. W., WISE, L., BALLINGER, W. F.
(Cortisol 21-acetate: apparently abnormal plasma levels in patients with rheumatoid arthritis) 247
MARKIEWICZ, K. see LUTZ, W. 319
MARKIEWICZ, K. see LUTZ, W. 425
MASTER, R. W. P. see WALKAR, A. 433
MATSUI, E. see ITO, T. 125
MATUSIK, J. E., POWELL, J. B., GREGORY, D. M.
(A mechanized screening procedure for sickling hemoglobins) 15
MAYA, A., SABATER, J.
(Specific spot test for homocystinuria in filter paper saturated with urine) . . . 261
MCCRAE, W. M. see BUTTERWORTH, J. . . 275
MCKEE, R. W., LONGSTAFF, E., LATNER, A. L.
(Lactase dehydrogenase in human testes) 221
MCPHERSON, K. see MURRAY-LYON, I. M. 215
MICONI, G. see BURLINA, A. 255
MIETTINEN, T. A.
(Removal of serum cholesterol in control and hyperlipidaemic subjects) 480
MINCHIN CLARKE, H. G. see MURRAY-LYON, I. M., ... 215

MITCHELL, B. see COLMAN, R. W. 5
MIZUTANI, K. see NAGATSU, T. 417
MONTFORT, M.-F. see ROLLAND, M., . . . 95
MOORE, J. W.
(A rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in urine) 532
MORENO, P. see SCHULLER, E. 233
MORRISON, B., SCOTLAND, C. J., FLECK, A.
(The determination of plasma glucose in a diabetic clinic) 301
MÜLLER, G.
(Photometrische Bestimmung der lipolytischen Serumaktivität mit 1,5-Diphenylkarbohydrazid) 89
MURRAY-LYON, I. M., MINCHIN CLARKE, H. G., MCPHERSON, K., WILLIAMS, R.
(Quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis and active chronic hepatitis) . . 215
MYEROWITZ, R. L., HANDZEL, Z. T., ROBBINS, J. B.
(Human serum α_1-antitrypsin: isolation and demonstration of electrophoretic and immunologic heterogeneity) . . . 307
NAGATSU, I. see NAGATSU, T. 417
NAGATSU, T., MIZUTANI, K., SUDO, Y., NAGATSU, I.
(Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma) 417
NAKAMURA, H., TAMURA, Z.
(Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides) 367
NELSON, J. H. see SHEID, B. 477
NISBET, J. A., SIMPSON, E.
(An assessment of drift correction in continuous flow chemical analytical systems) 339
NIWA, T. see ITO, T. 125
ÖCKERMAN, P. A. see HULTBERG, B. . . . 49
OHISHI, N. see ITO, T., ... 125
OVERFIELD, C. V., SAVORY, J., HEINTGES, M. G.
(Glycolysis: a re-evaluation of the effect on blood glucose) 35
OZIOL, S., GUIDOLLET, J., LOUISOT, P.
(Biosynthése de la transcortine: transglycosylation et acquisition des propriétes biologiques de la glycoprotéine transcortine) 143
PAK, C. Y. C., RUSKIN, B., DILLER, E.
(Enhancement of renal excretion of zinc by hydrochlorothiazide) 511
PARVEZ, H., GRIPOIS, D.
(Simplified and precise method for the assay of enzyme catechol-o-methyl transferase without high speed fractionation) 253
PERNOLLET, J. C. see CLAUVEL DE MENDONCA, M. 149
PERRY, T. L. see HANSEN, S. 71
PETERS, W.-H., GROSSER, V., KNAPP, A.
(Creatinine excretion in women during fasting) 273
PFLUGSHAUPT, R. see SCHERZ, R., ... 109
PINCHERLE, G. see ROLLASON, J. G. . . . 75
PINELLI, A., GASPARI, R.
(A new precise and sensitive method for the assay of urine porphyrins using combined thin-layer chromatography and spectrophotofluorimetric analysis) . . . 135
POTTER, J. L., TIMMONS, G. D., RINEHART, L., WITMER, E. J.
(An improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of metachromatic leukodystrophy in homozygous and heterozygous states) . . 518
POTTS, J. T. see HABENER, J. F. 407
POWELL, J. B. see MATUSIK, J. E. 15
PRONSKY, W. see LUST, G. 281
RAAB, W. P.
(Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate) 239
RADOM, S., ŻUŁAWSKI, M., DAHLIG, E.
(Circadian rhythm of total urinary hydroxyproline excretion) 277
RAHMAN, M.
(A rapid colorimetric method for oestriol assay in pregnancy urine) 287
RAU, D. see ROSALKI, S. B. 41
RINEHART, L. see POTTER, J. L. 518
RITTENBERG, M. B. see JACKSON, L. J., . . 463
ROBBINS, J. B. see MYEROWITZ, R. L. . . 307
ROBINSON, D. see ROLLASON, J. G. . . . 75
ROGERS, M., CHAMBERLAIN, J.
(The use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of urinary pregnanediol) 439
ROLLAND, M., MONTFORT, M.-F., VALENTA, L., LISSITZKY, S.
(Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodinated thyroglobulin) 95
ROLLASON, J. G., PINCHERLE, G., ROBINSON, D.
(Serum gamma glutamyl transpeptidase in relation to alcohol consumption) . . 75
ROSALKI, S. B., RAU, D.
(Serum γ-glutamyl transpeptidase activity in alcoholism) 41
ROY, C. C. see WEBER, A. M. 524
RUSKIN, B. see PAK, C. Y. C. 511
RUTENBERG, H. L. see LACKO, A. G. . . . 506
SABATER, J. see MAYA, A. 261
SAILER, D. see GRABNER, W. 59
SAVORY, J. see OVERFIELD, C. V. 35
SCHERZ, R., PFLUGSHAUPT, R. BÜTLER, R.
(Improved method of mass-screening for galactosemia) 109
SCHULLER, E., DELASNERIE, N., MORENO, P., TOMPE, L.
(Electro-immunodiffusion des protéines du liquide céphalorachidien. Dosage de 1'α_1-lipoprotéine, de 1aβ_1E(C'4) et de la β_2-glycoprotéine 1) 233

SCHWARTZ, K. see CLAUVEL DE MENDONCA, M. 149
SCHOTHORST, A. A., VAN STEVENINCK, J., WENT, J. N., SUURMOND, D.
(Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal red blood cells) 161
SCOTLAND, C. J. see MORRISON, B. . . . 301
SEAMAN, C. V. F. see JACKSON, J. L. . . . 463
SHEID, B., CHIN, A. E., NELSON, J. H.
(Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA as a substrate) 477
SIMPSON, E. see NISBET, J. A. 339
SMITH, A. F.
(Separation of tissue and serum creatine kinase isoenzymes on polyacrylamide gel slabs) 351
SODHI, H. S. see SUNDARAM, G. S. 115
SOLOFF, L. A. see LACKO, A. G.
STEIN, S. M., HORN, D. B.
(The estimation of plasma glycerol using a reaction rare analyser) 293
VAN STEKELENBURG, G. J. KOOREVAAR, G.
(Evidence for the existence of mammalian acetoacetate decarboxylase with special reference to human blood serum) 191
VAN STEVENINCK, J. see SCHOTHORST, A. A. 161
STURROCK, S. see APPLEGARTH, D. A. . . 258
SUDO, Y. see NAGATSU, T. 417
SUNDARAM, G. S., SODHI, H. S. BHATNAGAR, R.
(Comparison of methods for iodinating plasma lipoproteins) 115
SUTHERLAND, GRANT R. see BUTTERWORTH, J. 275
SUURMOND, D. see SCHOTHORST, A. A. . . 161
SWAIN, M. C.
(The assay of plasma progesterone in women by a simple competitive protein binding method using guinea-pig serum) 455
SWANSON, R. E. see FELLMAN, J. H. . . . 242
TAMURA, Z. see NAKAMURA, H. 367
TEICHMANN, W. see MACHILL, G. 171
TIMMONS, G. D. see POTTER, J. L. 518
TISCHLER, B. see APPLEGARTH, D. A. . . 258
TOMPE, L. see SCHULLER, E. 233
VALENTA, L. see ROLLAND, M. 95
VOORHORST, C. D., DE KLOEP, K.
(Amylase assay in serum using dyed amylopectine) 391
WADMAN, S. K. see VAN DER HEIDEN, C. . 201
WALD, N. J., FENTON, J.
(Artefact due to traces of detergent on laboratory glassware affecting carboxyhaemoglobin measurement) 266
WALKAR, A., MASTER, R. W. P.
(Protein and isozyme components in normal and abnormal human semen) . . 433
WAUTERS, E. A. K. see VAN DER HEIDEN, C. 201
WEBER, A. M., CHARTRAND, L., DOYON, G., GORDON, S., ROY, C. C.
(The quantitative determination of fecal bile acids in children by the enzymatic method) 524
OP DE WEEGH, G. J. see HEERSPINK, W. . 327
TER WELLE, H. F., WILLEBRANDS, A. F.
(Serum lipid screening and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids) 183
WENT, L. N. see SCHOTHORST, A. A. . . . 161
WILLEBRANDS, A. F. see TER WELLE, H. F. 183
WILLIAMS, R. see MURRAY-LYON, I. M. . 215
WISE, L. see MARGRAF, H. W. 247
WITMER, E. J. see POTTER, J. L. 518
YAGI, K. see ITO, T. 125
ŻUŁAWSKI, M. see RADOM, S. 277

CLINICA CHIMICA ACTA Vol. 39 (1972)

SUBJECT INDEX

Acetoacetate decarboxylase, evidence for the existence of mammalian, with special reference to human blood serum (VAN STEKELENBURG, KOOREVAAR) . . 191
Acid glycosidases, artificial substrates in the assay of (HULTBERG, ÖCKERMAN) . 49
Acidurias, organic, potential source of some. Urinary bacteria: (HANSEN, PERRY, LESK) 71
Adrenal glands, tyrosine hydroxylase in human, and human pheochromocytoma (NAGATSU, MIZUTANI, SUDO, NAGATSU) 417
Alcohol consumption, serum gamma glutamyl transpeptidase in relation to (ROLLASON, PINCHERLE, ROBINSON) . . 75
Alcoholism, serum γ-glutamyl transpeptidase activity in (ROSALKI, RAU) . . . 41
Alpha, specificity of inhibitors lacking in, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes (COLMAN, MITCHELL) 5
Angio edema, hereditary, toward human proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and (COLMAN, MITCHELL) . . 5
Amino acid, creatine and creatinine studies in myotonic dystrophy (EMERY, BURT) 361
Amylase assay in serum using dyed amylopectine (VOORHORST, DE KLOEP) . . . 391
Amylopectine, amylase assay in serum using dyed (VOORHORST, DE KLOEP) . . 391
Angiotensin II, measurement of, in blood by radioimmunoassay (CAIN, COGHLAN, CATT) 24
Antiplasmin, a low molecular weight, of human blood platelets (GANGULY) . . . 466
Antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes, specificity of inhibitors lacking in alpha (COLMAN, MITCHELL) 5
α_1-antitrypsin, human serum: isolation and demonstration of electrophoretic and immunologic heterogeneity (MYEROWITZ, HANZEL, ROBBINS) 307
α_1-antitrypsin levels, serum, during the ovarian cycle (KUEPPERS, BRACKERTZ, CZYGAN) 131
Arsenious acid reaction, ceric, the use of the, for the determination of small amounts of iodine or iodine compounds (HEERSPINK, OP DE WEEGH) 327
Arthritis, rheumatoid, cortisol 21-acetate: apparently abnormal plasma levels inpatients with (MARGRAF, WISE, BALLINGER) 247
Arylesterase, serum, a new and simple procedure for (BURLINA, MICONI, GALPIGNA) 225
Bacteria, urinary: potential source of some organic acidurias (HANSEN, PERRY, LESK) 71
Bis(1-piperidylthiocarbonyl) disulfide, submicrogram serum copper quantification by spectrophotometry with (CARTER) 497
Blood, a radioisotope method for catechol-*O*-methyl transferase in (GRIFFITHS, LINKLATER) 383
Blood cells, red, photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal (SCHOTHORST, VAN STEVENINCK, WENT, SUURMOND) 161
Blood, gas chromatographic analysis of mono- and disaccharides in human, and urine after oral administration of disaccharides (NAKAMURA, TAMURA) . . . 367
Blood glucose, a re-evaluation of the effect on: Glycolysis (OVERFIELD, SAVORY, HEINTGES) 35
Blood, measurement of angiotensin II in, by radioimmunoassay (CAIN COGHLAN, CATT) 24
Blood plasma, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) 319
Blood platelets, human, a low molecular weight antiplasmin of (GANGULY) . . . 466
Blood, precursors of melanin in the, and urine in malignant melanoma (HINTERBERGER, FREEDMAN, BARTHOLOMEW) . 395
Blood serum, human, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (VAN STEKELENBURG, KOOREVAAR) . . 191
Blood serum, lipolytic activity of, with 1,5-diphenyl carbazide, photometric determination of the (MÜLLER) 89

Calcitonin, improved radioimmunoassay for, using ^{125}-I labelled calcitonin purified by gel filtration (HABENER, DEFTOS, POTTS, JR.) 407
Carboxyhaemoglobin measurement, artefact due to traces of detergent on laboratory glassware affecting (WALD, FENTON) 266
Catechol-o-methyl transferase, enzyme, without high speed fractionation, simplified and precise method for the assay of (PARVEZ, GRIPOIS) 253
Catechol-*O*-methyl transferase in blood, a radioisotope method for (GRIFFITHS, LINKLATER) 383
Ceric arsenious acid reaction, the use of the, for the determination of small amounts of iodine or iodine compounds (HEERSPINK, OP DE WEEGH) 327
Cholesterol, rocovery of labeled, and cholesterol esters from thin layer chromatograms (LACKO, RUTENBERG, SOLOFF) 506
Cholesterol, serum, removal of, in control and hyperlipidaemic subjects (MIETTINEN) 480
Chromatograms, thin layer, recovery of labeled cholesterol and cholesterol esters from (LACKO, RUTENBEG, SOLOFF) . . . 506
Circadian rhythm of total urinay hyrdroxyproline excretion (RADOM, ŻUŁAWSKI, DAHLIG) 277
Colorimetric determination, direct, of phosphorus in serum and urine (DREWES) 81
Colorimetric method, a rapid, for oestriol assay in pregnancy urine (RAHMAN) . . 287
Copper quantification, submicrogram serum, by spectrophotometry with bis-(1-piperidylthiocarbonyl) disulfide (CARTER) 497
Chromatograph, a semi-automatic gas, the use of the steroid analyser in conjunction with, in the routine analysis of urinary pregnanediol (ROGERS, CHAMBERLAIN) 439
Chromatographic, gas, analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides (NAKAMURA, TAMURA) . . . 367
Chromatography, thin-layer, and spectrophotofluorimetric analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (PINELLI, CASPARI) 135
Cirrhosis, alcoholic, and active chronic hepatitis, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis (MURRAY-LYON, MINCHIN CLARKE, MCPHERSON, WILLIAMS) . . . 215
Cirrhosis, cryptogenic, alcoholic cirrhosis and active chronic hepatitis, quantitative immunoelectrophoresis of serum proteins in (MURRAY-LYON, MINCHIN CLARKE, MCPHERSON, WILLIAMS) . . . 215
Cortisol 21-acetate: apparently abnormal plasma levels in patients with rheumatoid arthritis (MARGRAF, WISE, BALLINGER) 247
Creatine and creatinine studies, amino acid, in myotonic dystrophy (EMERY, BURT) 361
Creatine kinase isoenzymes, separation of tissue and serum, on polyacrylamide gel slabs (SMITH) 351
Creatinine excretion in women during fasting (PETERS, GROSSER, KNAPP) . . 273
Creatinine studies, amino acid, creatine and, in myotonic dystrophy (EMERY, BURT) 361
Cystinuria, a qualitative spot test for (KELLY, LEIKHIM, DESJARDINS) 469
Dehydrogenase, glutamate, in various buffer systems, activity and stability of (ELLIS, GOLDBERG) 472
Dehydrogenase, lactate, in human testes (MCKEE, LONGSTAFF, LATNER) 221
11-Deoxy-17-oxosteroids in urine, a rapid method for the analysis of enzyme hydrolysable (MOORE) 532
Depression, a sex difference in mean serum magnesium levels in (HERZBERG, BOLD) 229
Diabetic clinic, the determination of plasma glucose in a (MORRISON, SCOTLAND, FLECK) 301
1,5-Diphenyl carbazide, photometric determination of the lipolytic activity of blood serum with (MÜLLER) 89
Disc electrophoresis, immunoglobulins in (FELGENHAUER) 177
Drift correction, an assessment of, in continuous flow chemical analytical systems (NISBET, SIMPSON) 339
Dystrophy, myotonic, amino acid, creatine and creatinine studies in (EMERY, BURT) 361
Electro-immunodiffusion of the proteins of cerebrospinal fluid: determination of α_1-lipoprotein, β_1-E(C'4) and β_2-glycoprotein I (SCHULLER, DELASNERIE, MORENO, TOMPE) 233
Electrophoresis, disc, immunoglobulins in (FELGENHAUER) 177
Electrophoretic and immunologic heterogeneity, human serum α_1-antitrypsin: isolation and demonstration of (MYEROWITZ, HANDZEL, ROBBINS) 307
Enzymatic method, the quantitative determination of fecal bile acids in children by the (WEBER, CHARTRAND, DOYON, GORDON, ROY) 524
Enzymes, lysosomal, in amniotic fluid (BUTTERWORTH, SUTHERLAND, BAIN, MCCRAE) 275
Erythrocyte membrane, on the isolation of materials with Rh antigenic properties from the human (JACKSON, RITTENBERG, SEAMAN) 463
Erythrocyte membrane, photodynamic damage of the, caused by protoporphyrin in protoporphyria and in normal red

blood cells (SCHOTHORST, VAN STEVENINCK, WENT, SUURMOND) 161
Fecal bile acids, the quantitative determination of, in children by the enzymatic method (WEBER, CHARTRAND, DOYON, GORDON, ROY) 524
Flavin levels, plasma, of patients receiving long-term hemodialysis (ITO, NIWA, MATSUI, OHISHI, YAGI) 125
Galactosemia, improved method of mass-screening for (SCHERZ, PFLUGSHAUPT, BÜTLER) 109
Gallium-67, the behaviour of tracer, towards serum proteins (GUNASEKERA, KING, LAVENDER) 401
Gamma glutamyl transpeptidase, serum, in relation to alcohol comsumption (ROLLASON, PINCHERLE, ROBINSON) . . 75
Gas chromatograph, semi-automatic, the use of a steroid analyser in conjunction with a, in the routine analysis of urinary pregnanediol (ROGERS, CHAMBERLAIN) 439
Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides (NAKAMURA, TAMURA) . . 367
Gas-chromatographic method, a simple semi-automated, for determining pregnanediol and oestriol simultaneously in pregnancy urine (ALINK) 449
Gel filtration experiments in small columns, equipment for (GULLBERG, BROSTRÖM) 475
Glucose, blood, a re-evaluation of the effect on: Glycolysis (OVERFIELD, SAVORY, HEINTGES) 35
Glucose, plasma, the determination of, in a diabetic clinic (MORRISON, SCOTLAND, FLECK) 301
Glutamate dehydrogenase in various buffer systems, activity and stability of (ELLIS, GOLDBERG) 472
γ-glutamyl, serum, transpeptidase activity in alcoholism (ROSALKI, RAU) . . . 41
Glycerol, the estimation of plasma, using a reaction rate analyser (STEIN, HORN) . . 293
Glycolysis: a re-evaluation of the effect on blood glucose (OVERFIELD, SAVORY, HEINTGES) 35
Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs (LUST, PRONSKY) 281
Glycosidases, acid, artificial substrates in the assay of (HULTBERG, ÖCKERMAN) . . 49
Haemoglobin levels, plasma, a sensitive method for automated estimation of (CLAUVEL DE MEDONCA, APPEL, PERNOLLET, SCHWARTZ) 149
Hemodialysis, long-term, plasma flavin levels of patients receiving (ITO, NIWA, MATSUI, OHISHI, YAGI) 125
Hemoglobins, sickling, a mechanized screening procedure for (MATUSIK, POWELL, GREGORY) 15
Hepatitis, active chronic, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and (MURRAY-LYON, MINCHIN CLARKE, MCPHERSON, WILLIAMS) . . . 215
Homocystinuria in filter paper saturated with urine, specific spot test for (MAYA, SABATER) 261
Hurler's syndrome, urinary amino acid output in children with (APPLEGARTH, BOZOIAN, STURROCK, TISCHLER) . . . 258
Hydrochlorothiazide, enhancement of renal excretion of zinc by (PAK, RUSKIN, DILLER) 511
Hydroxylase, tyrosine, in human adrenal glands and human pheochromobytoma (NAGATSU, MIZUTANI, SUDO, NAGATSU) . 417
Hyperlipaemias, serum lipid screening and typing of, with special reference to cases with normal to moderately elevated total lipids (TER WELLE, WILLEBRANDS) 183
Hyperlipidaemic subjects, removal of serum cholesterol in control and (MIETTINEN) 480
Imidazole propionic acid *N*-acetylhistamine, increased urinary, and other imidazole compounds in patients with intestinal disorders (VAN DER HEIDEN, WADMAN, DE BREE, WAUTERS) 201
Immunodiffusion, assays by simple radial, accuracy of quantitative immunoglobulin (GRABNER, BERGNER, SAILER, BERG). 59
Immunoelectrophoresis, quantitative, of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (MURRAY-LYON, MINCHIN CLARKE, MCPHERSON, WILLIAMS) . . . 215
Immunoglobulin, accuracy of quantitative, assays by simple radial immunodiffusion (GRABNER, BERGNER, SAILER, BERG) 59
Immunoglobulins in disc electrophoresis (FELGENHAUER) 177
Immunologic heterogeneity, human serum α_1-antitrypsin: isolation and demonstration of electrophoretic and (MYEROWITZ, HANDZEL, ROBBINS) 307
Inhibitors, specificity of, lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes (COLMAN, MITCHELL) 5
Intestinal disorders, increased urinary imidazolepropionic acid *N*-acetylhistamine and other imidazole compounds in patients with (VAN DER HEIDEN, WADMAN, DE BREE, WAUTERS) 201
Iodinating plasma lipoproteins, comparison of methods for (SUNDARAM, SODHI, BHATNAGAR) 115
Iodine compounds, the use of the ceric arsenious acid reaction for the determination of small amounts of iodine or (HEERSPINK, OP DE WEEGH) 327
Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodin-

ated thyroglobulin (ROLLAND, MONTFORT, VALENTA, LISSITZKY) 95
Isozyme components, protein and, in normal and abnormal human semen (WALKAR, MASTER) 433
Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate (RAAB) 239
Ketoacids, the source of aromatic, in tyrosinaemia and phenylketonuria (FELLMAN, BUIST, KENNAWAY, SWANSON) 243
Kinase isoenzymes, creatine, separation of tissue and serum, on polyacrylamide gel slabs (SMITH) 351
Kinureninase in human liver, determination of microliter quantities of (MACHILL, KNAPP, TEICHMANN) 171
Lactate dehydrogenase in human testes (McKEE, LONGSTAFF, LATNER) 221
Leukocyte arylsulfatase A, an improved method for the determination of, and its application to the diagnosis of metachromatic leukodystrophy in homozygous and heterozygous states (POTTER, TIMMONS, RINEHART, WITMER) . . . 518
Leukodystrophy, metachromatic, an improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of, in homozygous and heterozygous states (POTTER, TIMMONS, RINEHART, WITMER) 518
Lipid screening, serum, and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids (TER WELLE, WILLEBRANDS) 183
Lipolytic activity of blood serum with 1,5-diphenyl carbazide, photometric determination of the (MÜLLER) 89
Lipoproteins, plasma, iodinating, comparison of methods for (SUNDARAM, SODHI, BHATNAGAR) 115
Liver, human, kinureninase in, determination of microliter quantites of (MACHILL, KNAPP, TEICHMANN) 171
Magnesium levels, serum, in depression, a sex difference in mean (HERZBERG, BOLD) 229
Melanin, precursors of, in the blood and urine in malignant melanoma (HINTERBERGER, FREEDMAN, BARTHOLOMEW) . 395
Melanoma, precursors of melanin in the blood and urine in malignant (HINTERBERGER, FREEDMAN, BARTHOLOMEW) . 395
Micronephelometry, a low pressure system for membrane filtration for use in (FARID, ANDERSON) 263
Mono- and disaccharides in human blood and urine after oral administration of disaccharides, gas chromatographic analysis of (NAKAMURA, TAMURA) . . 367
Mucopolysaccharide storage in organs of a patient with Sandhoff's disease (APPLEGARTH, BOZOIAN) 269
N-acetylhistamine, increased urinary imidazolepropionic acid, and other imidazole compounds in patients with intestinal disorders (VAN DER HEIDEN, WADMAN, DE BREE, WAUTERS) 201
Nephrosis, kaliopenic: protective action of L-ornithine-L-aspartate (RAAB) 239
Nephrotic syndrome, oligopeptides excreted in the urine of healthy humans and of patients with (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) . . . 425
Nephrotic syndrome, oligopeptides in blood plasma of healthy humans and of patients with (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) 319
Oestriol, a simple semi-automated gas-chromatographic method for determining pregnanediol and, simultaneously in pregnancy urine (ALINK) 449
Oestriol assay in pregnancy urine, a rapid colorimetric method for (RAHMAN) . . 287
Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) . . . 425
Oligopeptides in blood plasma of helathy humans and of patients with nephrotic syndrome (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) 319
Ovarian cycle, serum α_1-antitrypsin levels during the (KUEPPERS, BRACKERTZ, CZYGAN) 131
Phenylketonuria, the source of aromatic ketoacids in tyrosinaemia and (FELLMAN, BUIST, KENNAWAY, SWANSON) . . 243
Pheochromocytoma, human, tyrosine, hydroxylase in human adrenal glands and (NAGATSU, MIZUTANI, SUDO, NAGATSU) 417
Phosphorus, direct colorimetric determinataion, in serum and urine (DREWES) . . 81
Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal red blood cells (SCHOTHORST, VAN STEVENINCK, WENT, SUURMOND) 161
Photometric determination of the lipolytic activity of blood serum with 1,5-diphenylcarbazide (MÜLLER) 89
Plasma, blood, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) 319
Plasma flavin levels of patients receiving long-term hemodialysis (ITO, NIWA, MATSUI, OHISHI, YAGI) 125
Plasma glucose, the determination of, in a diabetic clinic (MORRISON, SCOTLAND, FLECK) 301
Plasma glycerol, the estimation of, using a reaction rate analyser (STEIN, HORN) . . 293
Plasma haemoglobin levels, a sensitive method for automated estimation of (CLAUVEL DE MENDONCA, APPEL, PERNOLLET, SCHWARTZ) 149
Plasma levels in patients with rheumatoid arthritis, apparently abnormal. Cortisol

21-acetate (MARGRAF, WISE, BALLINGER) 247
Plasma lipoproteins, iodinating, comparison of methods for (SUNDARAM, SODHI, BHATHAGAR) 115
Plasma progesterone, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (SWAIN) 455
Platelets, human blood, a low molecular weight antiplasmin of (GANGULY) . . . 466
Polyacrylamide gel slabs, separation of tissue and serum creatine kinase isoenzymes on (SMITH) 351
Porphyrins, urine, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophotofluorimetric analysis (PINELLI, GASPARI) 135
Precursors of melanin in the blood and urine in malignant melanoma (HINTERBERGER, FREEDMAN, BARTHOLOMEW) . 395
Pregnancy urine, a rapid colorimetric method for oestriol assay in (RAHMAN) . 287
Pregnancy urine, a simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in (ALINK) 449
Pregnanediol, a simple semi-automated gas-chromatographic method for determining, and oestriol simultaneously in pregnancy urine (Alink) 449
Pregnanediol, urinary, the use of the steroid analyser in conjunction with a, semi-automatic gas chromatograph in the routine analysis of (ROGERS, CHAMBERLAIN) 439
Progesterone, plasma, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (SWAIN) 455
Proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human (COLMAN, MITCHELL) . 5
Protoporphyrin in protoporphyria and in normal red blood cells, photodynamic damage of the erythrocyte membrane caused by (SCHOTHORST, VAN STEVENINCK, WENT, SUURMOND) 161
Radial immunodiffusion, accuracy of quantitative immunoglobulin assays by simple (GRABNER, BERGNER, SAILER, BERG) 59
Radioimmunoassay, improved, for calcitonin using ^{125}-I labelled calcitonin purified by gel filtration 407
Radioimmunoassay, measurement of angiotensin II in blood by (CAIN COGHLAN, CATT) 24
Radioisotope method, a, for catechol-*O*-methyl transferase in blood (GRIFFITHS, LINKLATER) 383
Reaction rate analyser, the estimation of plasma glycerol using (STEIN, HORN) . . 293
Red blood cells, photodymanic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal (SCHOTHORST, VAN STEVENINCK, WENT, SUURMOND) 161
Renal excretion, enhancement of, of zinc by hydrochlorothiazide (PAK, RUSKIN, DILLER) 511
Rh antigenic properties, on the isolation of materials with, from the human erythrocyte membrane (JACKSON, RITTENBERG, SEAMAN) 463
RNA, serum-induced inhibition of enzymes which synthesize, or utilize RNA as a substrate (SHEID, CHIN, NELSON) . 477
Sandhoff's disease, mucopolysaccharide storage in organs of a patient with (APPLEGARTH, BOZOIAN) 269
Serum copper quantification, submicrogram, by spectrophotometry with bis-(1-piperidylthiocarbonyl) disulfide (CARTER) 497
Semen, abnormal human, protein and isozyme components in normal and (WALKAR, MASTER) 433
Sickling hemoglobins, a mechanized screening procedure for (MATUSIK, POWELL, GREGORY) 15
Serum α_1-antitrypsin, human: isolation and demonstration of electrophoretic and immunologic heterogeneity (MYEROWITZ, HANDZEL, ROBBINS) 307
Serum α_1-antitrypsin levels during the ovarian cycle (KUEPPERS, BRACKERTZ, CZYGAN) 131
Serum, amylase assay in, using dyed amylopectine (VOORHORST, DE KLOEP) . . . 391
Serum and urine, direct colorimetric determination of phosphorus in (DREWES) . . 81
Serum arylesterase, a new and simple procedure for (BURLINA, MICONI, GALPIGNA) 255
Serum, blood, lipolytic activity of, with 1,5-diphenyl carbazide, photometric determination of the (MÜLLER) 89
Serum cholesterol, removal of, in control and hyperlipidaemic subjects (MIETTINEN) 480
Serum creatine kinase isoenzymes, separation of tissue and, on polyacrylamide gel slabs (SMITH) 351
Serum γ-glutamyl transpeptidase activity in alcoholism (ROSALKI, RAU) 41
Serum gamma glutamyl transpeptidase in relation to alcohol consumption (ROLLASON, PINCHERLE, ROBINSON) 75
Serum, guinea-pig, the assay of plasma progesterone in women by a simple competitive protein binding method using (SWAIN) 455
Serum, human blood, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (VAN STEKELENBURG, KOOREVAAR) . . 191
Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA

as a substrate (SHEID, CHIN, NELSON) . 477
Serum lipid screening and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids (TER WELLE AND WILLEBRANDS) 183
Serum magnesium levels in depression, a sex difference in mean (HERZBERG, BOLD) 229
Serum proteins, quantative immunoelectrophoresis of, in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (MURRAY-LYON, MINCHIN CLARKE, MCPHERSON, WILLIAMS) . . . 215
Serum proteins, the behaviour of tracer gallium-67 towards (GUNASEKERA, KING, LAVENDER) 401
Spectrophotofluorimetric analysis, combined thin-layer chromatography and, a new precise and sensitive method for the assay of urine porphyrins using (PINELLI, GASPARI) 135
Spectrophotometry with bis(1-piperidylthiocarbonyl disulfide, submicrogram serum copper quantification by (CARTER) 497
Steroid analyser, the use of the, in conjunction with a semi-automatic gas chromatograph in the routine analysis of urine pregnanediol (ROGERS, CHAMBERLAIN) . 439
Submicrogram serum copper quantification by spectrophotometry with bis-(1-piperidylthiocarbonyl) disulfide (CARTER) 497
Substrates, artificial, in the assay of acid glycosidases (HULTBERG, ÖCKERMAN) . 49
Tested, human, lactate dehydrogenase in (MCKEE, LONGSTAFF, LATNER) 221
Thin layer chromatograms, recovery of labeled cholesterol and cholesterol esters from (LACKO, RUTENBERG. SOLOFF) . . 506
Thin-layer chromatography and spectrophotofluorimetic analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (PINELLI, GASPARI) 135
Thyroglobulin of normal and diseased thyroid glands, iodoamino acid composition of the. Comparison with *in vitro* iodinated thyroglobulin (ROLLAND, MONTFORT, VALENTA, LISSITZKY) . . . 95
Thyroid glands, iodoamino acid composition of the thyroglobulin of normal and diseased. Comparison with *in vitro* iodinated thyroglogulin (ROLLAND, MONTFORT, VALENTA, LISSITZKY) 95
Transcortin, biosynthesis of (OZIOL, GUIDOLLET, LOUISOT) 143
Tyrosinaemia and phenylketonuria, the source of aromatic ketoacids in (FELLMAN, BUIST, KENNAWAY, SWANSON) . . 243
Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma (NAGATSU, MIZUTANI, SUDO, NAGATSU) 417
Urinary amino acid output in children with Hurler's syndrome (APPLEGARTH, BOZOIAN, STURROCK, TISCHLER) . . . 258
Urinary bacteria: potential source of some organic acidurias (HANSEN, PERRY, LESK) 71
Urinary imidazolepropionic acid *N*-acetylhistamine, increased, and other imidazole compounds in patients with intestinal disorders (VAN DER HEIDEN, WADMAN, DE BREE, WAUTERS) 201
Urinary pregnanediol, the use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of (ROGERS, CHAMBERLAIN) 439
Urine, a rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in (MOORE) 532
Urine, gas chromatographic analysis of mono- and disaccharides in human blood and, after oral administration of disaccharides (NAKAMURA, TAMURA) . . 367
Urine in malignant melanoma, precursors of melanin in the blood and (HINTERBERGER, FREEDMAN, BARTHOLOMEW) . 395
Urine of healthy humans, oligopeptides excreted in the, and of patients with nephrotic syndrome (LUTZ, MARKIEWICZ, KŁYSZEJKO-STEFANOWICZ) 425
Urine porphyrins, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophotofluorimetric analysis (PINELLI, GASPARI) 135
Urine, pregnancy, a rapid colorimetric method for oestriol assay in (RAHMAN) . 287
Urine, pregnancy, a simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in (ALINK) 449
Urine, serum and, direct colorimetric determination of phosphorus in (DREWES) 81
Urine, specific spot test for homocystinuria in filter paper saturated with (MAYA, SABATER) 261
Zinc, enhancement of renal excretion of, by hydrochlorothiazine (PAK, RUSKIN, DILLER) 511

FORTHCOMING PAPERS

The gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria)
D. Gompertz and G. H. Draffan (London, U.K.) (February 28, 1972)

Rates of urinary excretion of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods
D. J. Bell and M. Q.-K. Talukder (Edinburgh, U. K.) (January 31, 1972)

Serum alkaline phosphatase isoenzyme patterns in disease
A. W. Skillen, R. D. Fifield and G. S. Sheraidah (Newcastle upon Tyne, U.K.) (March 10, 1972)

Rapid differentiation of glomerular and tubular proteinuria by sodium dodecyl sulfate polyacrylamide gel electrophoresis
A. J. Pesce, I. Boreisha and V. E. Polak (Chicago, Ill., U.S.A.) (March 13, 1972)

Observations on the heat-stability of alkaline phosphatase isoenzymes in serum
D. W. Moss, M. J. Shakespeare and D. M. Thomas (London, U.K.) (March 3, 1972)

The routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids using gas-liquid chromatography
D. Crook (Bristol, U.K.) (March 3, 1972)

Clinical significance of abnormally shaped IgM arcs in serum immunoelectrophoresis
R. J. Schen and M. Rabinowitz (Tel-Aviv, Israel) (February 16, 1972)

Analysis of urinary 5-hydroxyindoleacetic acid by thin layer chromatography: elimination of interference by glyceryl guaialate
F. McGregor, G. Phillips and M. M. Romsdahl (Houston, Tex., U.S.A.) (February 16, 1972)

Studies on a variant alkaline phosphatase in sera of patients with hepatocellular carcinoma
K. Higashino, M. Hashinotsume, K.-Y. Kang, Y. Takahashi and Y. Yamamura (Osaka, Japan) (Februariy 24, 1972)

Factors affecting the laboratory management of human serum and liver vitamin A analyses
C. E. Parkinson and I. Gal (London, U.K.)

A rapid ultaviolet spectrophotometric lactic dehydrogenase assay
R. G. Marinek (Chicago, Ill., U.S.A.) (January 31, 1972)

Erythrocyte phosphofructokinase alterations in polycythemia vera
J. Kwiatowska, W. Zatoński and T. Baranowski (Wroclaw, Poland) (February 16, 1972)

Technique de dosage automatique de l'orthophosphate de grande fiabilité
J. Amic, D. Lairon et J. Hauton (Marseille, France) (January 31, 1972)

Interference in glucose oxidase-peroxidase blood glucose methods
P. Sharp (Brighton, U.K.) (March 20, 1972)

The indirect confirmation of hyperlipoproteinemia phenotypes II, III and IV
D. R. Wybenga, F. A. Ibbott and J. W. Winkelman (Van Nuys, Calif., U.S.A.) (March 14, 1972)

Acetone as solvent in flame-photometric determination of lithium in serum
E. H. Denswil and J. P. Detmers (Enschede, The Netherlands) (March 14, 1972)

Demonstration of serum creatine kinase isoenzymes by fluorescence technique
H. Somer and A. Konttinen (Helsinki, Finland) (March 27, 1972)

Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients
J. Butterworth, F. Scott, W. M. McCrae and A. D. Bain (Edinburgh, U.K.) (March 10, 1972)

Determination of plasma and serum triglycerides with a fully automated method
F. Björkstén (Helsinki, Finland) (November 30, 1971)

Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö
J. O. Jeppsson and S. Berglund (Malmö, Sweden) (March 27, 1972)

Chromatographic separation of hemoglobins A_2 and C. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β-thalassemia
T. H. J. Huisman (Augusta, Ga., U.S.A.) (March 27, 1972)

LDH activity of red cells in chronic renal failure
K. Melissinos, G. Drivas and K. Vlassopoulos (Athens, Greece) (December 28, 1971)

Rapid routine determination of some anti-epileptic drugs in serum by gas chromatography
N.-E. Larsen, J. Naestoft and E. Hvidberg (Copenhagen-Glostrup, Denmark) (February 21, 1972).

Separation of L-cystinyl-di-β-naphthylamine hydrolase ("oxytocinase") isoenzymes by acrylamide gel electrophoresis of human pregnancy sera
H. Kleiner and M. Brouet-Yager (Brussels, Belgium) (March 13, 1972)

Influence of age and sex on plasma acid hydrolases
Ö. Eriksson, B. E. Ginsburg, B. Hultberg and P. A. Öckerman (Stockholm, Sweden) (March 6, 1972)

Determinations of proteins and hormones in serum by an immunoassay using antigen-enzyme conjugates
K. Miedma, J. Boelhower and J. W. Otten (Zwolle, The Netherlands) (December 8, 1971)

Change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in hepatobillary pancreatic disease
S. Miyazaki and M. Okumura (Fukuoka, Japan) (March 8, 1972)

Acid hydrolases in uncultured amniotic fluid cells
W. R. den Tandt (Leiden, The Netherlands) (March 8, 1972)

Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis
D. Gupta, H. Pfeiffer and H. Zimprich (Vienna, Austria) (April 10, 1972)

Determination of gold in body fluids by atomic absorption spectrophotometry
N. D. H. Balazs, D. J. Pole and J. R. Masarei (Perth, W. Australia) (March 31, 1972)

Détermination du fer et de la capacité totale de fixation dans le sérum humain par une méthode sans déprotéinisation
G. Piccardi, M. Nyssen et J. Dorche (Marcy-l'Etoile et Lyon, France) (April 5, 1972)

Monoclonal IgG-L cammapathy in the synovial fluid in rheumatoid arthritis
Z. Hrncír, M. Tichy and J. Vanasek (Hradec Králové, Czechoslovakia) (April 6, 1972)

Detection of fabry hemizygotes and heterozygotes by measurement of α-galactosidase in urine
P. J. G. M. Rietra, J. M. Tager and W. P. de Groot (Amsterdam, The Netherlands) (April 13, 1972)